Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A vertical sync phase lock loop (PLL), comprising: a sync detector adapted to output a phase error;

a vertical sync discrete time oscillator (DTO) block adapted to output a vertical sync DTO <u>signal</u> based on the phase error; and

an output logic adapted to detect output a vertical sync based on the vertical sync DTO signal.

Claim 2 (original): The vertical sync PLL of claim 1 further comprising a loop filter adapted to receive the phase error.

Claim 3 (original): The vertical sync PLL of claim 2, wherein the loop filter further comprises at least one of a following element from a group consisting of:

a first multiplier;

a first adder;

a second multiplier; and

a decay accumulator.

Claim 4 (original): The vertical sync PLL of claim 3, wherein the first multiplier is adapted to multiply a proportional gain constant to the phase error.

Claim 5 (original): The vertical sync PLL of claim 3 further comprising a first accumulator adapted to produce an output, wherein the phase error is added to the output at the adder.

Claim 6 (original): The vertical sync PLL of claim 5 further comprising a first multiplexer and a binary shift block adapted to receive a result of the adding, wherein the binary shift block is adapted to shift the result a number of bits.

Claim 7 (original): The vertical sync PLL of claim 6, wherein the first multiplexer is adapted to receive the shifted result and an output of the phase error through the decay accumulator.

Claim 8 (original): The vertical sync PLL of claim 7, wherein a decision logic of the decay accumulator is presented by:

decay acc = ((abs(prev_vsync_phase_error)>7/4*vsync_phase_error) &&
((abs(vsync_phase_error)>>21)>6)).

Claim 9 (original): The vertical sync PLL of claim 7, wherein a decay condition is based on detection of a rapid change in the phase error provided it is larger than a minimum value.

Claim 10 (original): The vertical sync PLL of claim 7 further comprising a second multiplexer, wherein an output of the first multiplexer is input to the second multiplexer.

Claim 11 (original): The vertical sync PLL of claim 10, wherein an output of the second multiplexer is received by the first accumulator.

Claim 12 (original): The vertical sync PLL of claim 11 further comprising a third multiplier adapted to multiply the output of the first accumulator by a factor, wherein the result from the multiplication is input to the second multiplexer.

Claim 13 (original): The vertical sync PLL of claim 12 further comprising a fourth multiplier adapted to multiply the output of the accumulator by a common mode integral gain constant.

Claim 14 (original): The vertical sync PLL of claim 13 further comprising a second adder adapted to add an output from the fourth multiplier, with an output from the first multiplier, and with a nominal decrement value.

Claim 15 (original): The vertical sync PLL of claim 14 further comprising a third multiplexer adapted to receive an output from the second adder.

Claim 16 (original): The vertical sync PLL of claim 3 further comprising a second accumulator adapted to produce an output based on an output of the second multiplier.

Claim 17 (original): The vertical sync PLL of claim 16 further comprising a fifth multiplier adapted to multiply the output from the second accumulator with a differential mode integral gain constant.

Claim 18 (original): The vertical sync PLL of claim 17 further comprising a sixth multiplier adapted to multiply an output from the fifth multiplier with an output from a fourth multiplexer.

Claim 19 (original): The vertical sync PLL of claim 18 further comprising a third adder adapted to add an output form the sixth multiplexer with a vertical sync DTO decrement value.

Claim 20 (original): The vertical sync PLL of claim 19 wherein the addition produces an input into the third multiplexer.

Claim 21 (original): The vertical sync PLL of claim 20 further comprising a DTO decrement register adapted to receive an output from the third multiplexer.

Claim 22 (original): The vertical sync PLL of claim 21, wherein the DTO decrement register is adapted to send the vertical sync DTO decrement value.